

**RISK ASSESSMENT REPORT
OF THE GENETIC MODIFICATION
ADVISORY COMMITTEE (GMAC)**

FOR

**AN APPLICATION FOR APPROVAL FOR
RELEASE OF PRODUCT OF A5547-127**

Soybean

NBB REF NO: JBK(S) 602-1/1/14

APPLICANT: Bayer Co. (Malaysia) SDN. BHD.

DATE: 8 January 2014

I - Summary of Assessment Process

The Genetic Modification Advisory Committee, under the purview of the National Biosafety Board was given the dossier by the Department of Biosafety on 21st October 2013 for an application for approval for release importation for release [sale/placing on the market] of a product of a Living Modified Organism (A5547-127 Soybean). The application was filed by Bayer Co. (Malaysia) Sdn. Bhd. (hereafter referred to as “the applicant”). GMAC members also took the opportunity to obtain further clarification on certain details of the activity. Additional information was also provided by the applicant as requested. Please refer to **Lampiran IB** for Additional Information provided by the applicant.

A public consultation for this application was conducted from 1 to 30 November 2013 via advertisement in local newspapers. There were comments received from Third World Network (TWN) regarding the use of CaMV 35S promoter, toxicological assessment and herbicide residues. GMAC has taken note of the information received and deliberated on it. Please refer to **Lampiran VA** and **Lampiran VB** for comments received from public consultation.

GMAC had a meeting pertaining to this application and prepared the Risk Assessment Report and Risk Assessment Matrix along with its recommended decision, for consideration by the National Biosafety Board.

II - Background of Application

This application is for approval to commercially import and release a product of a Living Modified Organism (A5547-127 Soybean) The aim of the import and release is to supply or offer to supply for sale/placing on the market - for direct use as food, feed and for processing (FFP). According to the applicant, there will be no difference in use of product of Soybean A5547-127 compared to conventional soybeans already on the market.

Soybean is grown primarily for the production of seed, has a multitude of uses in the food and industrial sectors, and represents one of the major sources of edible vegetable oil and of proteins for livestock feed use.

A major food use is as purified oil, utilized in margarines, shortenings and cooking and salad oils. It is also used in various food products including tofu, soya sauce, simulated milk and meat products. Soybean meal is used as a supplement in feed rations for livestock.

Industrial use of soybeans ranges from the production of yeasts and antibodies to the manufacture of soaps and disinfectants. Most soybean meal, 97%, is used in animal feed with 46% going to poultry, 32% to swine and 9% each going to dairy and beef cattle feed. A sizable amount is also used in pet food. Today, there are three major soybean commodity products: seeds, oil and meal.

The applicant reports that the Soybean A5547-127 products are substantially equivalent to conventional soybean and provide the same nutritional value as soybean currently being consumed by all age groups.

Information about genetically modified Glufosinate tolerant A5547-127 soybean

The recipient or parental plant is *Glycine max* (L) Merr (soybean). The A5547-127 soybean has been genetically modified to be tolerant to herbicide glufosinate ammonium. The A5547-127 soybean produced through transformation by the particle acceleration method using vector PB2/35SAcK that contains a synthetic version of the phosphinothricin-N-acetyltransferase (*pat*) gene which was isolated from *Streptomyces viridochromogenes* strain Tu494.

Expression of the PAT enzyme is detected by spraying plantlets in axenic culture with glufosinate herbicide. Surviving plantlets are transferred to soil, grown in the greenhouse and then screened for glufosinate tolerance.

The herbicides bialaphos, phosphinothricin and its chemically synthesized form glufosinate ammonium are potent inhibitors of glutamine synthetase (GS), the enzyme that plays a central role in the assimilation of ammonia and in the regulation of the nitrogen metabolism in the plant. The *pat* gene from *Streptomyces viridochromogenes* codes for a PAT protein that metabolizes glufosinate to an inactive, acetylated derivative conferring the plant tolerant to glufosinate ammonium. The plants not carrying the transgene can be recognized and destroyed by using the herbicide at an early stage of plant development.

If A5547-127 soybean is approved to be imported into Malaysia, it will be used as feed, food ingredients for processing or packaging or as finished products ready for distribution, but not for planting.

III - Risk Assessment and Risk Management Plan

GMAC evaluated the application with reference to the following documents:

- (i) CODEX Guideline for the Conduct of Food Safety Assessment of Foods Derived from Recombinant-DNA Plants.
- (ii) Roadmap for Risk Assessment of Living Modified Organisms, (according to Annex III of the Cartagena Protocol on Biosafety produced by the *Ad Hoc* Technical Expert Group (AHTEG) on Risk Assessment and Risk Management of the Convention on Biological Diversity).
- (iii) The risk assessment and risk management plan submitted by the applicant.

GMAC took cognizance of the following as suggested within the AHTEG guidelines:

- (i) That the risk assessment exercise be specific to the details of this particular application;

- (ii) That the risk assessment exercise be specific to the receiving environment in question; and
- (iii) That any risk identified be compared against that posed by the unmodified organism.

A Risk Matrix was prepared based on an assessment mechanism developed by Office of the Gene Technology Regulator, Australia (OGTR, 2009). In applying this matrix, GMAC identified potential hazards, and then added a value/rank for the likelihood of each hazard as well as its consequences. The likelihood of each hazard occurring was evaluated qualitatively on a scale of 1 to 4, with 1 for 'highly unlikely', and 4 for 'highly likely'.

The consequences of each hazard, if it were to occur, were then evaluated on a scale of 1 to 4, with 1 for 'marginal' and 4 to denote a 'major consequence'. A value was finally assigned for the overall risk from the identified potential hazard. The general formula: Overall Risk = Likelihood x Consequence was employed. GMAC also proposed risk management strategies for potential hazards, where appropriate. This methodology of assessment follows the procedure of Risk Assessment in Annex III of the Cartagena Protocol on Biosafety.

Although the applicant has applied for an approval to import for the purpose of feed and processing only, GMAC had conducted a thorough assessment and widened the scope of the risk assessment to include the purpose of food as well.

The Risk Assessment was conducted over a series of three meetings and email consultations among GMAC members. To start with, the possible pathways to risk/hazard arising from release of the products were identified and listed. The potential hazards were identified in three main areas:

(i) **Effects on human health**

Issues pertaining to acute toxicity of the novel proteins, potential allergenicity, modifications resulting in production of proteins or metabolites with mutagenic / teratogenic / carcinogenic effects, reproductive toxicity, potential transfer of antibiotic resistance genes in the digestive tract, the pathogenic potential of donor microorganisms and nutritional equivalence were examined.

(ii) **Effects on animal health**

Issues pertaining to allergenicity, toxicity, anti-nutritional properties, compromised nutritional content, effect on production performance, histopathological parameters, survivability, animal product contamination were examined and horizontal gene transfer.

(iii) **Effects on the environment**

Issues pertaining to accidental spillage of seeds and release during handling and transportation, unintentional release and planting, weediness, horizontal transfer of transgenes, accumulation of toxin, cross pollination and toxic effects on non-target organisms were examined.

Based on the above, a final list of 26 potential hazards was identified. All of these hazards were rated as having an Overall Risk of 1 or “negligible” (please refer to the **Lampiran IIA/Risk Matrix** for details).

a) Accidental release of viable seeds

Seeds may be accidentally released during transportation and these spilled seeds may germinate and become established in the ecosystem. However, soybean generally does not survive well without human intervention and it is an annual plant. Outcrossing with any locally cultivated soybean or wild relative of soybean is unlikely as soybean is not grown as an economic crop in Malaysia and there is no wild relative. As spillage of seed during transportation is likely, it is proposed that a post monitoring plan should be implemented and any spillage incident should be managed.

b) Planting of seeds

Plants may be grown through the ignorance of uninformed farmers and perpetuated through small scale cultivations. There should also be clear labeling of the product to state that it is only for the purpose of food, feed and processing, and is not to be used as planting material.

c) Compromised Nutritional Content

Soybean A5547-127 is nutritionally equivalent to non-GM counterparts (Oberdoerfer, R. 2013 M-360323-02-1).

The potential risk of A5547-127 soybean was evaluated in equivalence to, and above any potential risk reported for unmodified soy. However as a precautionary measure GMAC recommends that the proposed terms and conditions under section IV should be adhered to.

IV - Proposed Terms and Conditions for Certificate of Approval

Based on the 26 potential hazards identified and assessed, GMAC has drawn up the following terms and conditions to be included in the certificate of approval for the release of this product:

- a) There shall be clear documentation describing the product by the exporter which shall be declared to the Customs of the importing country.
- b) There shall be clear labeling of the product from importation down to all levels of marketing to state that it is only for the purpose of food, feed and processing and is not to be used as planting material.
- c) Should the approved person receive any scientifically proven information that confirms any adverse effect of A5547-127 soybean, the National Biosafety Board authority shall be informed immediately.
- d) Any spillage (during loading/unloading) shall be collected and cleaned up immediately.

- e) Transportation of the consignment from the port of entry to any destination within the country must be in closed containers.

V - Other Regulatory Considerations

- a) Administrative regulatory procedures shall be arranged between the Department of Biosafety, Royal Malaysian Customs Department and relevant agencies to ensure accurate declaration of product information and clear labeling of the product is implemented.
- b) Administrative regulatory procedures shall be arranged between the Department of Biosafety, Department of Agriculture and the Malaysian Quarantine and Inspection Services (MAQIS) to impose post entry requirements for accidental spillage involving the GM product.
- c) Administrative regulatory procedures shall be arranged between the Department of Biosafety and the Malaysian Quarantine and Inspection Services (MAQIS) and other competent agencies to impose post entry requirements for food safety compliance.
- d) Administrative regulatory arrangements shall be carried out between the Department of Biosafety, the Department of Veterinary Services (DVS) and Department of Fisheries (DOF) so that any unanticipated adverse effects in animals caused by any consumption of the GM products shall be reported immediately.
- e) Administrative regulatory procedures shall be arranged between Department of Biosafety and Ministry of Health to ensure that glufosinate residues in A5547-127 soybean consignments are below minimum residual level (2 mg/kg) established by CODEX Alimentarius.

VI - Identification of issues to be addressed for long term use release of this product

Continuous monitoring is required from the approved person to report any unanticipated adverse effect caused by the A5547-127 soybean.

VII – Conclusion and Recommendation

GMAC has conducted a thorough evaluation of the application for approval for importation for release [sale/placing on the market - for direct use as food, feed and for processing (FFP)] of a product of a Living Modified Organism (Glufosinate tolerant A5547-127 soybean) and has determined that the release of this product does not endanger biological diversity or human, animal and plant health. GMAC recommends that the proposed application for release be

APPROVED WITH TERMS AND CONDITIONS as listed in section IV - Proposed Terms and Conditions for Certificate of Approval, subject to approval by other relevant agencies.

VIII – Bibliography

1. Alexander, T.W., T. Reuter, K. Aulrich, R. Sharma, E.K. Okine, W.T. Dixon & T.A. McAllister (2007). A review of the detection and fate of novel plant molecules derived from biotechnology in livestock production. *Animal Feed Science and Technology* 133, 31–62.
2. Anderson, R.L., Wolf, W.J. (1995). Compositional changes in trypsin inhibitors, phytic acid, saponins, and isoflavones related to soybean processing. *J. Nutr.* 125:581S-588S.
3. Benachour, N., Siphatur, H., Moslemi, S., Gasnier, C., Travert, C., Seralini, G. E. (2007). Time- and dose-dependent effects of Roundup on human embryonic and placental cells. *Arch Environ Contam Toxicol* 53:126-33.
4. Bernstein, J.A., Bernstein, L, Bucchini, L, Goldman, L.R., Hamilton, R.G., Lehrer, S., Rubin, C. and Sampson, H.A. (2003). Clinical and laboratory investigation of allergy to genetically modified foods. *Environ Health Perspect*, 8, pp. 1114- 1121.
5. Bookwalter, G.N. (1978). Soy protein utilization in food systems. In: Nutritional Improvement of Food and Feed Proteins (Friedman, M., ed.), *Plenum Press, New York, NY*: 749-766.
6. Canadian Food Inspection Agency, Plant Biotechnology Office. Supplement to Decision Document DD1999-30: Determination of Livestock Feed Safety of Aventis CropScience Canada Inc.'s Glufosinate Ammonium Tolerant Soybean (Glycine max) Events A2704-12 and A5547-127.
7. Capt, A. (2007). Assessment of the toxicity and allergenicity of the PAT protein (*pat* gene). 63pp. M-142779-04-1.
8. Capt, A. (2012). PAT protein from *pat* gene: Amino acid sequence homology search with known toxins. 227pp. M-266573-05-1.
9. Capt, A. (2012). PAT protein from *pat* gene: Amino acid sequence homology search with known allergens. 11pp. M-217013-06-1.
10. Center for Environmental Risk assessment. http://ceragmc.org/index.php?action=gmc_crop_database&mode=ShowProd&data=A5547-127GM.
11. EFSA (2008). Scientific Opinion on application (EFSA-GMO-NL-2008-52) for the placing on the market of herbicide tolerant genetically modified soybean A5547-127 for food and feed uses, import and processing under Regulation (EC) No. 1829/2003 from Bayer CropScience1EFSA Panel on Genetically Modified Organisms (GMO).
12. Food and Agriculture Organisation and World Health Organisation (1991). Strategies for assessing the safety of foods produced by biotechnology. Report of a joint Food and Agriculture Organisation and World Health Organisation.

Retrieved January 2008, from World Health Organisation website: <http://www.who.int/foodsafety/publications/biotech/1990/en/>.

13. FSANZ, (2012). Safety assessment Application A1064: Food derived from Herbicide-tolerant Soybean Line CV127. *Food Standards Australia New Zealand*.
14. Fuchs, R.L., Astwood, J.D. (1996). Allergenicity assessment of foods derived from genetically modified plants. *Food Technology* 50:83-88.
15. Health Canada Novel Foods. Novel Food Information: Glufosinate Ammonium Tolerant Soybean Lines A2704-12 and A5547-127.
16. Herman, E.M., Helm, R.M., Jung, R. and Kinney, A.J. (2003). Genetic modification removes an immunodominant allergen from soybean. *Plant Physiology* 132: 36-43.
17. Herman, R.A., Woolhiser, M.M., Ladics, G.S., Korjagin, V.A., Schafer, B.W., Storer, N.P., Green, S.B., Kan, L. (2007). Stability of a set of allergens and non-allergens in simulated gastric fluid. *International Journal of Food Sciences and Nutrition* 58:125-141.
18. Herouet, C., Esdaile, D. J., Mallyon, B. A., Debruyne, E., Schulz, A., Currier, T.;Hendrickx, K. van der Klis, R. J., Rouan, D. (2005). Safety evaluation of the phosphinotricin acetyltransferase proteins encoded by the *pat* and *bar* sequences that confer tolerance to glufosinate-ammonium herbicide in transgenic plants. *Regulatory Toxicology and Pharmacology*. 41 (2005) 134-149. 16 pages. M-247779-01-1.
19. Japanese Biosafety Clearing House, Ministry of Environment. [PDF Size: 171355 bytes]. Outline of the biological diversity risk assessment report: Type 1 use approval for soybean A5547-127.
20. Kennel, P. (2003). PAT (Phosphinothricin acetyltransferase) protein derived from *pat* gene: *Acute toxicity by intravenous injection in the mouse*. 51pp. M-218224-01-1.
21. Lehrer S. (1997). In Vitro Human Allergenicity Study with LibertyLink® Soybean (2704-12 and 5547-127) Evaluation of IgE Antibody Reactivity of Food – Allergic Subjects by RAST, RAST. *Inhibition and Immunoblotting Studies*. Tulane University. 36 pages. M-141502-02-1.
22. Messina, M., Nagata, C., Wu, A.H. (2006). Estimated Asian adult soy protein and isoflavone intakes. *Nutrition and Cancer* 55:1-12.
23. Metcalfe, D.D., Astwood, J.D., Townsend, R., Sampson, H.A., Taylor, S.L., Fuchs, R.L. (1996). Assessment of the allergenic potential of foods derived from genetically engineered crop plants. *Crit. Rev.Food Sci. Nutr.* 36:S165-S186.
24. Mohamed, A.I., Mebrahtu, T, Rangappa, M. (1991). Nutrient composition and anti-nutritional factors in selected vegetable soybean (*Glycine max* [L.] Merr.). *Plant Foods for Human Nutrition* 41: 89-100.
25. Natarajan, S., Xu, C., Bae, H., Caperna, T.J., Garrett, W.M. (2006). Proteomic analysis of allergen and antinutritional proteins in wild and cultivated soybean seeds. *Journal of Plant Biochemistry and Biotechnology* 15: 103-108.

26. Nordlee, J.A., Taylor, S.L., Townsend, J.A., Thomas, J.A. and Bush, R.K. (1996). Identification of a Brazil-nut allergen in transgenic soybeans. *N Eng Med J*, 334, pp. 688-692.
27. Oberdoerfer, R. (2012). Nutritional impact assessment report on glufosinate ammonium tolerant soybean transformation event A5547-127. 82pp. M-360323-02-1.
28. Osborne, A.R., Rapoport, T.A. and B. van den Berg (2005). Protein translocation by the Sec61/SecY channel. *Annual Review of Cell and Developmental Biology* 21: 529-550.
29. Pfister, T., Schmid, H., Luetkemeier, H., Biedermann, K., Weber, K. (1999). PAT-protein: Repeated dose oral toxicity (14-day feeding) study in rats. 267pp. M-140484-07-1.
30. Rasclé, J. B. (2009). PAT/pat protein: *In vitro* digestibility study in human simulated intestinal fluid. 37pp. M-214021-03-1.
31. Rasclé, J. B. (2009). PAT/pat protein - *In vitro* digestibility study in human simulated gastric fluid. 40pp. M-214025-04-1.
32. Rizzi, A., N. Raddadi, C. Sorlini, L. Nordgård, K.M. Nielse & D. Daffonchio, (2012). The stability and degradation of dietary DNA in the gastrointestinal tract of mammals: Implications for horizontal gene transfer and the biosafety of GMOs. *Critical Reviews in Food Science and Nutrition* 52(2), 142-161.
33. Shibasaki, M., Suzuki, S., Tajima, S., Nemoto, H., Kuroume, T. (1980). Allergenicity of major component proteins of soybean. *Int. Arch. Allergy Appl. Immunol.* 61:441-448.
34. Singh, B.K., Shaner, D.L. (1995). Biosynthesis of branched chain amino acids: From test tube to field. *Plant Cell* 7:935-944.
35. U.S.Department of Agriculture, Animal and Plant Health Inspection Service. [PDF Size: 792429 bytes]. AgrEvo USA Company Application for an Extension of the Determination of Nonregulated Status for Glufosinate Resistant Soybean Transformation Events (96-068-1p): Event A5547-127
36. USDA-APHIS Environmental Assessment. [PDF Size: 38121 bytes]. Approval of AgrEvo Request (98-014-01p) Seeking Extension of Determination of Non-regulated Status for Glufosinate Resistant Soybean Transformation Event A5547-127.