RISK ASSESSMENT REPORT OF THE GENETIC MODIFICATION ADVISORY COMMITTEE (GMAC) FOR

AN APPLICATION FOR APPROVAL FOR RELEASE OF PRODUCTS OF MON87460 CORN FOR SUPPLY OR OFFER TO SUPPLY

NBB REF NO: JBK(S) 600-2/1/3

APPLICANT: MONSANTO (MALAYSIA)
SDN. BHD.

DATE: 7 JULY 2020

I - Summary of Assessment Process

On 31 October 2019, the Genetic Modification Advisory Committee (GMAC, please refer to Appendix 1 for details of GMAC), received from the Department of Biosafety an application for the approval for importation for release [sale/placing on the market for direct use as food, feed and for processing (FFP)] of a product of a Living Modified Organism drought tolerant MON87460 corn. The application was filed by Monsanto (Malaysia) Sdn. Bhd. (hereafter referred to as "the applicant"). After an initial review, GMAC requested for additional information from the applicant.

A public consultation for this application was conducted from 10 September 2019 to 9 October 2019 via advertisements in the local newspapers, e-mail announcements and social media. Comments were received from Third World Network (TWN), Malaysian Agroecology Society (Sri-Mas) and Federation of Malaysian Consumers Association (FOMCA). GMAC took into consideration the comments from TWN regarding molecular characterization, safety assessment, and the composition of the MON87460 product compared to the conventional corn, as well as animal toxicity studies. GMAC also took into consideration the comment from FOMCA and Sri-Mas on the need for proper labelling, post-market monitoring and surveillance on MON87460 corn.

GMAC had five (5) meetings pertaining to this application and prepared the Risk Assessment Report and Risk Assessment Matrix along with its recommended decision, for consideration by the National Biosafety Board.

II - Background of Application

This application is for approval to import and release products of a Living Modified Organism drought tolerant MON87460 corn. The aim of the import and release is to supply or offer to supply for sale/placing on the market for direct use as food, feed and for processing (FFP). According to the applicant, MON87460 corn has been registered in a number of countries for cultivation as well as for food, feed and for processing. MON87460 corn is approved in the European Union, United States of America, Australia, New Zealand, Brazil, Canada, China, Colombia, Indonesia, Japan, Korea, Mexico, Philippines, Singapore, South Africa, Taiwan and Vietnam and may be imported, stored and processed for use in food, animal feed and industrial products in the same way as other conventional, non-transgenic corn. The type of expected use of the products derived from MON87460 corn in Malaysia will be the same as the expected usage for products derived from conventional corn. Potential users of products derived from MON87460 corn such as grains are feed millers, food processors and other industrial use.

Information about MON87460 corn

The recipient or parental plant is *Zea mays* L.spp *mays* (field or sweet corn). Corn is extensively cultivated and has a long history of safe use as a food or feed. It is one of the largest cultivated crop in the world followed by wheat (*Triticum* sp.) and rice (*Oryza sativa* L.) in total global metric ton production (FAOSTAT, 2016).

MON87460 corn produces a CspB protein which confers drought tolerance and NPTII protein, a selectable marker that confers tolerance to certain antibiotics such as neomycin and paromomycin.

III - Risk Assessment and Risk Management Plan

GMAC evaluated the application with reference to the following documents:

- (i) CODEX Guideline for the Conduct of Food Safety Assessment of Foods Derived from Recombinant-DNA Plants.
- (ii) Roadmap for Risk Assessment of Living Modified Organisms, (according to Annex III of the Cartagena Protocol on Biosafety produced by the *Ad Hoc* Technical Expert Group (AHTEG) on Risk Assessment and Risk Management of the Convention on Biological Diversity).
- (iii) The risk assessment and risk management plan submitted by the applicant.

GMAC also referred to the following recommendations within the AHTEG guidelines:

- (i) That the risk assessment exercise be specific to the details of this particular application
- (ii) That the risk assessment exercise be specific to the receiving environment in question, and
- (iii) That any risk identified be compared against that posed by the unmodified organism.

In conducting the risk assessment, GMAC identified potential hazards, and then added a value/rank for the likelihood of each hazard as well as its consequences. The likelihood of each hazard occurring was evaluated qualitatively on a scale of 1 to 4, with 1 for 'highly unlikely', and 4 for 'highly likely'. The consequences of each hazard, if it were to occur, were then evaluated on a scale of 1 to 4, with 1 for 'marginal' and 4 to denote a 'major consequence'. A value was finally assigned for the overall risk from the identified potential hazard. The general formula:

Overall Risk = Likelihood x Consequence was employed. GMAC also proposed risk management strategies for potential hazards, where appropriate. This methodology of assessment follows the procedure of Risk Assessment in Annex III of the Cartagena Protocol on Biosafety.

The potential hazards were identified in three main areas:

(i) Effects on human health

Relevant scientific publications on the genetic modifications were reviewed for potential human health risks and issues pertaining to acute toxicity of novel protein / altering / interference of metabolic pathways, potential allergenicity of the novel protein, reproductive toxicity, potential transfer of antibiotic resistance genes in digestive tract, pathogenic potential of donor microorganisms and nutritional equivalence.

(ii) Effects on animal health

Issues pertaining to allergenicity, toxicity, anti-nutritional, survivability and animal product contamination.

(iii) Effects on the environment

Issues pertaining to accidental release of seeds, unintentional release and planting, potential of transgenes being transferred to bacteria (soil bacteria, bacterial flora of animal gut), increased fitness, weediness and invasiveness, accumulation of the protein in the environment via feces from animals fed with the GM plant/grain, cross pollination leading to transfer of transgenes and toxic effect on non-target organisms were examined

Based on the above, a final list of 20 potential hazards was identified. All of these hazards were rated as having an Overall Risk of 1 or "negligible".

GMAC also took caution and discussed a few of the hazards that required further evaluation and data acquisition. Some of these risks are expected to be managed effectively with the risk management strategies proposed (please refer to section IV of this document).

Some of the potential hazards are highlighted below along with the appropriate management strategies:

a) Accidental release of viable seeds

Seeds may be accidentally released during transportation. These seeds can germinate and grow along transportation routes and in areas surrounding storage and processing facilities (JBK Report Number No. 04, 2015). In the conducive warm and humid climate of Malaysia, there is a high likelihood of these volunteers maturing to the flowering and seed-setting stages. Although corn is not grown as an economic crop in Malaysia and there are no wild relatives, some varieties of baby corn and sweet corn are cultivated on small scales. Thus, there is a likelihood of outcrossing of the GM corn with these cultivated corns. Repeated cycles of spill-and-growth also increase the likelihood for the development of feral GM populations.

b) Planting of seeds

Plants may be grown by uninformed farmers and perpetuated through small scale cultivations. These GM corn may pollinate the non-GM baby corn and/or sweetcorn. There should also be clear labeling of the product to state that it is only for the purpose of food, feed and processing, and is not to be used as planting material.

c) Compromised nutritional content

Compositional analyses of the forage and grain samples showed no significant difference in nutritional composition between MON87460 corn and conventional corn.

However, applicant is required to update the National Biosafety Board immediately if additional tests indicate potential adverse effects or the possible presence of toxin or allergenic proteins.

IV - Proposed Terms and Conditions for Certificate of Approval

Based on the 20 potential hazards identified and assessed, GMAC has drawn up the following terms and conditions to be included in the certificate of approval for the release of this product:

- a) There shall be clear documentation by the exporter describing the product which shall be declared to the Royal Malaysian Customs.
- b) There shall be clear labeling of the product from importation to all levels of marketing stating that it is only for the purpose of food, feed and processing, and is not to be used as planting material.
- c) Should the approved person receives any credible and/or scientifically proven information that indicates any adverse effect of MON87460 corn, the National Biosafety Board shall be informed immediately.

- d) Any spillage (during loading/unloading/transportation) shall be collected and cleaned up immediately.
- e) Transportation of the consignment from the port of entry to any destination within the country shall be in secured and closed condition.

V - Other Regulatory Considerations

- a) Administrative regulatory procedures shall be arranged between the Department of Biosafety, Royal Malaysian Customs Department and relevant agencies to ensure accurate declaration of product information and clear labeling of the product is implemented.
- b) Administrative regulatory procedures shall be arranged between the Department of Biosafety and the Malaysian Quarantine and Inspection Services (MAQIS) to impose post entry requirements for accidental spillage involving the GM product.
- c) Administrative regulatory procedures shall be arranged between the Department of Biosafety and the Malaysian Quarantine and Inspection Services (MAQIS) and other competent agencies to impose post entry requirements for food safety compliance.
- d) Administrative regulatory arrangements shall be carried out between the Department of Biosafety and the Department of Veterinary Services (DVS) so that any unanticipated adverse effects in animals caused by any consumption of the GM products shall be reported immediately.
- e) Administrative regulatory arrangements shall be carried out by Food Safety and Quality of Ministry of Health to monitor compliance to the Food Act 1983 and Food Regulations 1985; and GM food labelling guidelines.

VI - Identification of issues to be addressed for long term use release of this product

a) Continuous monitoring is required from the approved person and any unanticipated adverse effect caused by the MON87460 corn shall be reported to the National Biosafety Board.

VII – Conclusion and Recommendation

GMAC has conducted a thorough evaluation of the application for approval for importation for release [sale/placing on the market for direct use as food, feed and for processing (FFP)] of a product of a Living Modified Organism drought tolerant MON87460 corn and has determined

that the release of this product does not endanger biological diversity or human, animal and plant health. GMAC recommends that the proposed application for release be **APPROVED WITH TERMS AND CONDITIONS** as listed in section IV - Proposed Terms and Conditions for Certificate of Approval.

VIII - Bibliography

- 1. Abba, E. J. and A. Lovato, 1999. Effect of seed storage temperature and relative humidity on maize (Zea mays L.) seed viability and vigour. Seed Science and Technology 27:101-114.
- 2. Andersson MS, de Vicente MC (2010). Maize, Corn (Zea mays L.). In Gene Flow between Crops and Their Wild Relatives. The Johns Hopkins University Press, Baltimore, pp 255-291
- 3. Burzio, L.A., J.S. McClain and A. Silvanovich. 2008. Bioinformatics Evaluation of the CSPB Protein Utilizing the AD8, TOXIN6, and PROTEIN Databases. Monsanto Technical Report MSL0021261. St. Louis, Missouri.
- 4. CFIA (1994). The biology of zea mays (L.) (maize). BIO1994-11. http://www.inspection.gc.ca/english/plaveg/bio/dd/dd9933e.shtml
- 5. Conner et al. (2003). The Release of Genetically Modified Crops into the Environment. Plant J. 2003 Jan;33(1):1-18
- 6. Crawley, M.J., S.L. Brown, R.S. Hails, D.D. Koh and M. Rees (2001). Transgenic crops in natural habitats. Nature 409:682-683.
- 7. de Boer, A.S. and B. Diderichsen. 1991. On the safety of Bacillus subtilis and B. amyloliquefaciens: A review. Applied Microbiology and Biotechnology 36:1-4.
- 8. de Vries J, Wackernagel W (2004). Microbial horizontal gene transfer and the DNA release from transgenic crop plants. *Plant and Soil* 266: 91-104
- 9. FAO-WHO (1991). Strategies for assessing the safety of foods produced by biotechnology. *Report of joint FAO/WHO consultation*. World Health Organization, Geneva, Switzerland.
- 10. FAO-WHO (2001). Evaluation of allergenicity of genetically modified foods. Report of a joint FAO/WHO expert consultation on allergenicity of foods derived from biotechnology. Food and Agriculture Organization of the United Nations, Rome, Italy.
- 11. Fuchs, R.L., J.E. Ream, B.G. Hammond, M.W. Naylor, R.M. Leimgruber and S.A. Berberich. 1993. Safety assessment of the neomycin phosphotransferase II (NPTII) protein. Bio/Technology 11:1543-1547
- 12. Galinat, W.C. (1988). The origin of corn. Pages 1-31 in *Corn and Corn Improvement. Third Edition*. G.F. Sprague and J.W. Dudley (eds.). American Society of Agronomy, Inc., Crop Science Society of America, Inc., Soil Science Society of America, Inc., Madison, Wisconsin.
- 13. Goodman, M.M. (1988). The history and evolution of maize. *Critical Reviews in Plant Sciences*. 7: 197-220.

- 14. Harrigan, G.G., K.D. Miller and R. Sorbet. 2008. Compositional Analyses of Forage and Grain Collected from Drought Tolerant Corn MON 87460 Grown in a 2006 USA Field Production. Monsanto Technical Report MSL0021141. St. Louis, Missouri.
- 15. Harrison, L.A., M.R. Bailey, M.W. Naylor, J.E. Ream, B.G. Hammond, D.L. Nida, B.L. Burnette, T.E. Nickson, T.A. Mitsky, M.L. Taylor, R.L. Fuchs and S.R. Padgette (1996). The expressed protein in glyphosate-tolerant soybean, 5-enolpyruvylshikimate-3-phosphate synthase from Agrobacterium sp. strain CP4, is rapidly digested in vitro and is not toxic to acutely gavaged mice. Journal of Nutrition 126:728-740..
- 16. James, C. (2015). Global status of commercialized biotech/GM crops: 2015. ISAAA Briefs No. 51. International Service for the Acquisition of Agri-biotech Applications, Ithaca, New York.
- 17. Kapadia, S. A., B E. Goertz, L. Burzio and E.A. Rice. 2008. Assessment of the in vitro Digestibility of the Cold Shock Protein B (CSPB) in Simulated Gastric and Simulated Intestinal Fluids. Monsanto Technical Report MSL0021138. St. Louis, Missouri.
- 18. Kastner, J. (1980). The conundrum of corn. Pages 14-29 in *American Heritage Magazine*. Volume 31(5). American Heritage Publishing Company, Rockville, Maryland.
- 19. Kees, P. (2008). Risk from GMOs due to Horizontal Gene Transfer. *Environ Biosafety Res.* 2008 Jul-Sep;7(3):123-49. doi: 10.1051/ebr:2008014
- 20. Luna, V. S., J. Figueroa, M., B. Baltazar, M., R. Gomez, L., R. Townsend, and J. B. Schoper (2001). Maize pollen longevity and distance isolation requirements for effective pollen control. Crop Sci. 41:1551–1557
- 21. Metcalfe, D.D., J.D. Astwood, R. Townsend, H.A. Sampson, S.L. Taylor and R.L. Fuchs. (1996). Assessment of the allergenic potential of foods derived from genetically engineered crop plants. *Critical Reviews in Food Science and Nutrition*. 36: S165-S186.
- 22. Messeguer, J., Salvia, J., Palaudelmàs, M., Melé, E., Serra, J., Peñas, G. et. al. (2006). Pollen-mediated gene flow in maize in real situations of coexistence. Plant Biotech J 4: 633–645.
- 23. Nielsen, K.M. (1998). Barriers to horizontal gene transfer by natural transformation in soil bacteria. APMIS 106: 77-84
- 24. Nielsen, K.M., Bones, A.M., Smalla, K., van Elsas, J.D. (1998). Horizontal gene transfer from transgenic plants to terrestrial bacteria a rare event? FEMS Microbiology Reviews 22: 79-103
- 25. Nielsen, K.M., Van Elsas, J.D., Smalla, K. (2000). Transformation of Acinetobacter sp. Strain BD413 (pFG4ΔnptII) with Transgenic Plant DNA in Soil Microcosms and Effects of Kanamycin on Selection of Transformants. Applied and Environmental Microbiology 66: 1237-1242.
- 26. OECD. 2000. Report of the task force for the safety of novel foods and feeds. C(2000)86/ADD1. Organisation of Economic Co-operation and Development, Paris, France.
- 27. OECD (2002). Consensus document on compositional considerations for new varieties of maize (Zea mays): Key food and feed nutrients, anti-nutrients and secondary plant metabolites. ENV/JM/MONO (2002)25. Series on the Safety of Novel Foods and Feeds, No. 6. Organisation for Economic Co-operation and Development, Paris, France.

- 28. OECD (2003). Consensus Document on the Biology of Zea mays subsp. Mays (maize). ENV/JM/MONO(2003)11. Series on Harmonisation of Regulatory Oversight in Biotechnology, No. 27. Organisation for Economic Co-operation and Development, Paris, France.
- 29. Raybould, A., G. Graser, K. Hill and K. Ward. 2012. Ecological risk assessments for transgenic crops with combined insect-resistance traits: The example of Bt11 x MIR604 maize. Journal of Applied Entomology 136:27-37.
- 30. Roberts, A., Y. Devos, A. Raybould, P. Bigelow and A. Gray (2014). Environmental risk assessment of GE plants under low-exposure conditions. Transgenic Research 23:971-983.
- 31. Rooney, L.W. and S.O. Serna-Saldivar (2003). Food uses of whole corn and dry-milled fractions. Pages 495-535 in *Corn: Chemistry and Technology*. Second Edition. P.J. White and L.A. Johnson (eds.). American Association of Cereal Chemists, St. Paul, Minnesota.
- 32. Shaw, R.H. (1988). Climate requirement. In: Sprague, G.F., Stelly, M., Fuccillo, D.A., Perelman, L.S., Dudley, J.W. (Eds.), Corn and corn improvement. American Society of Agronomy, Madison, WI, pp. 609-638
- 33. Silvanovich, A., M.A. Nemeth, P. Song, R. Herman, L. Tagliani and G.A. Bannon (2006). The value of short amino acid sequence matches for prediction of protein allergenicity. Toxicological Sciences 90:252-258.
- 34. Smedley, J. 2008. An Acute Toxicity of Cold Shock Protein B Administered by the Oral (Gavage) Route to Mice. Monsanto Technical Report CRO-2007-182. St. Louis, Missouri
- 35. U.S. FDA. 1994. Secondary direct food additives permitted in food for human consumption; Food additives permitted in feed and drinking water of animals; Aminoglycoside 3'-phosphotransferase II. Federal Register 59:26700-26711.
- 36. U.S. FDA. 1998. Guidance for industry: Use of antibiotic resistance marker genes in transgenic plants. U.S. Food and Drug Administration, Center for Food Safety and Applied Nutrition, Washington, D.C. http://www.cfsan.fda.gov/~dms/opa-armg.html [Accessed December 4, 2008].
- 37. U.S. FDA. 1999. Carbohydrase and protease enzyme preparations derived from Bacillus subtilis or Bacillus amyloliquefaciens; Affirmation of GRAS status as direct food ingredients. Federal Register 64:19887-19895.
- 38. Wahab, A. (2016). Malaysia Grain and Feed Annual. U.S. Department of Agriculture, Foreign Agricultural Service, Washington, D.C. http://gain.fas.usda.gov/Recent%20GAIN%20Publications/Grain%20and%20Feed%20Annual_Kuala%20Lumpur_Malaysia_2-26-2016.pdf.

GENETIC MODIFICATION ADVISORY COMMITTEE (GMAC) MEMBERS INVOLVED IN SPECIFIC RISK ASSESSMENT AREAS FOR THE APPROVAL FOR RELEASE OF PRODUCTS OF MON87460 CORN FOR SUPPLY OR OFFER TO SUPPLY

Genetic Modification Advisory Committee (GMAC) members divided the task of looking up more information for the Risk Assessment matrix based on three broad categories which were environment, human health and animal health. Each sub-committee had a nominated leader to coordinate the work and report back to the main GMAC. The GMAC members involved in the risk assessment are as below:

- Prof. Dr. Mohd. Faiz Foong bin Abdullah (Universiti Teknologi MARA) (GMAC Chairman)
- Dr. Kodi Isparan Kandasamy (Industry Representative) (Environment sub-committee Leader)
- Madam T.S. Saraswathy (Institute of Medical Research retired) (Human Health subcommittee Leader)
- Prof. Dr Jothi Malar Panandam (Universiti Putra Malaysia retired) (Animal Health sub-committee Leader)
- Dr. Rahizan Issa (Institute of Medical Research retired) (Notification Assessment sub-committee Leader)
- Dato' Dr. Sim Soon Liang (Academy of Sciences Malaysia)
- Prof. Dr. Abd Rahman Milan (Universiti Malaysia Sabah retired)
- Assoc. Prof. Dr. Chan Kok Gan (Universiti Malaya)
- Assoc. Prof. Dr. Choong Chee Yen (Universiti Kebangsaan Malaysia)
- Assoc. Prof. Sharifah Syed Hassan (Monash University Malaysia)
- Dr. Adiratna Mat Ripen (Institute of Medical Research)
- Dr. Norliza Tendot Abu Bakar (Malaysian Agricultural Research & Development Institute)
- Dr. Norwati Muhammad (Forest Research Institute of Malaysia)
- Dr. Saifullizam bin Abdul Kadir (Department of Veterinary Services)
- Dr. Teo Tze Min (Entomological Society of Malaysia)
- Madam Atikah binti Abdul Kadir Jailani (Department of Agriculture retired)
- Madam Norizan Jaafar (Department of Chemistry Malaysia)
- Madam Shafini Abu Bakar (Ministry of Health)